Simple Graphing with Excel (Science 9 Pathways)

This tutorial will teach you how to make a basic bar graph. This will also serve as an introduction to Excel so you are more familiar with it in the future. Answer the following questions on a separate sheet of paper with your partner.

# Section 1: Making a Bar Graph

Suppose you are investigating the question: "How does the sex of a rabbit affect its body length?"

- 1) What is the independent variable?
- 2) What is the dependent variable?

After the experiment, you collect the following data in your lab notebook:

Rabbit Identity	Body Length (cm)	Rabbit Identity	Body Length (cm)	
Male #1	15.6	Female #1	16.9	
Male #2	18.2	Female #2	15.5	
Male #3	20.5	Female #3	14.8	
Male #4	13	Female #4	16	
Male #5	24.5	Female #5	18.3	
Male #6	22.3	Female #6	19.5	

- 3) Look at the data and make an educated guess: do females or males have the longer bodies on average?
- *4)* Calculate the average body length for each of the sexes, by adding up the values of all 6 trials and dividing by 6. You may use a calculator.

## Part 1a: Making a Data Table

Now, we are going to put our data in Excel. Replicate the table in Excel as shown below.

Notice that we have our different experimental or treatment conditions (i.e. the different 'levels' of the independent variable) along the top.

Notice also that the individual measurements from the different trials are listed underneath. (In this experiment there were basically 6 trials because there were 6 measurements for each of the sexes.)

	А	В	С	
1		Male	Female	
2		15.6	16.9	
3		18.2	15.5	
4		20.5	14.8	
5		13	16	
6		24.5	18.3	
7		22.3	19.5	
8				

Feel free to play around with the different font and table formatting options in Excel to make your table look nice. You can try:

- Changing the font
- Changing the 'fill' colour of your cells
- Making rows/columns bigger or smaller

## Part 1b: Making a Data Table with Averages

Now, make another simpler table, like the one below. Put the averages that you calculated in #4, in the appropriate spaces.

	Male	Female
Average Body	Answer	Answer
Length (cm)	from #4	from #4

#### Part 2: Making a Bar Graph

Finally we are going to make our bar graph! Select the **four adjacent cells** containing the *male/female labels and the averages* (in your graph from part 1b) and click "insert  $\rightarrow$  chart  $\rightarrow$  column.

Experiment with the other chart types (still only selecting those four cells).

Click on chart design and experiment with "add chart element" and "quick layout" to do the following until your graph looks similar to the one shown below.

- Add a title to your chart.
- Label your x axis with the name of your independent variable.
- Label your y axis with the dependent variable (and units in brackets).
- Remove the horizontal gridlines from the graph.



How Rabbit Body Length is Affected by Sex

- Double-click on the numbers on the y-axis and change the "Bounds" so that the Minimum is equal to "o" instead of the automatic value of 15.5.
- Feel free to play around with fonts and colours as well.

In an empty cell, try typing:									
	=average(								
then selecting a group of cells and pressing									
enter. If you s	enter. If you select all 6 of the male body								
lengths, this s	should g	ive you th	ie answer	you					
had in #4! Then you can repeat for the									
female lengths.									
STDEV 🔹 🗙 🗸 $f_x$ =AVERAGE(B2:B7)									
A	В	С	D	E					
1	/lale								

**Calculating Averages with Excel** 

		-	-			
1		Male	Female			
2		15.6	16.9			
3		18.2	15.5			
4		20.5	14.8			
5		13	16			
6		24.5	18.3			
7		22.3	19.5			
8						
9						
10						
11		Male	Female			
12	Average	=AVERAGE(B	2:B7)			
13		AVERAGE(number1, [number2],)				
14						

When you are done making your graph, save the excel file. Save using a file name that includes the first and last names of all those who worked on the graph. Then, have one of your group members submit the excel file to the Portal.

You will be expected to include a bar graph with your final research paper.

# Section 2: A Foray into Statistics (optional)

For 'real scientists', an average is not enough. Did you notice how, looking at the data, the numbers for male rabbits were more spread out than for the female rabbits? In fact, the smallest rabbit in the entire dataset is a male rabbit even though on average, females are smaller.

Because of this, scientists like to include information in their graphs on how spread out their data was. They can calculate the **'standard deviation'**, which is a number that describes this data spread. *The higher the standard deviation, the greater the spread*.

# Part 1: Calculating Standard Deviation

In the line beneath your averages, label this row "Standard Deviation". Then, in the next cell, type in the following formula:

=stdev(

and then select the 6 data points you had for male bunnies. Do the same for female bunnies, in the next cell over.

When you are done, your spreadsheet should look like the one shown on the right.

10							
11		Male	Female				
12	Average	19.0166667	16.8333333				
	Standard						
13	Deviation	=STDEV(B2:B	7)				
14		STDEV(numb	STDEV(number1, [number2],)				
E12		X V	$f_X$				
	А	В	С				
1		Male	Female				
2		15.6	16.9				
3		18.2	15.5				
4		20.5	14.8				
5		13	16				
6		24.5	18.3				
7		22.3	19.5				
8							
9							
10							
11		Male	Female				
12	Average	19.0166667	16.8333333				
13		4.27991433	1.78175943				
14							
15							

## Part 2: Adding Error Bars

Click on your graph, and then Add Chart Element  $\rightarrow$  Error Bars  $\rightarrow$  More Error Bars Options. *Do not click on "Standard Deviation!" This will give you the wrong size bars.* 

On the sidebar, for Error Amount, click Custom  $\rightarrow$  Specify Value.

Erase the positive error value. Then, click the white box, and select **both** standard deviation values you calculated earlier. Repeat for negative error value. Click "OK".

C	nart 14	XV	$f_X$												
	A	В	С	1	Formula	Bar	F	G	Н		Т				
1		Male	Female				Custom E	rror Bars							
2		15.6	16.9												
3		18.2	15.5		Positive Error Value										
4		20.5	14.8												
5		13	16		=Sheet1!\$B\$13:\$C\$13					K					
6		24.5	18.3								=				
7		22.3	19.5		Negati	ve Error	Value				ıb				
8					01										
9					=Snee	et 11,888	3:\$C\$13								
10								Cancel	OK						
11		Male	Female					Curreer							
12	Average	19.0166667	16.8333333												
13		4.27991433	1.78175943					[							
14				1R x	20				linder						
15					20				e be						
16															
17									0 -						
18															
19															
20							1								

Your graph should now look somewhat like this:



If your error bars are the same height for male and female, ask Ms. Au for help.

A scientist would then analyze the error bars and see whether the difference in their averages was 'significantly different'.

See "Results Elaboration" document for more information on how to report these values.